sigma-aldrich.com

# SAFETY DATA SHEET

Version 6.3 Revision Date 09/23/2016 Print Date 11/03/2016

## **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Methanol	
	Product Number Brand Index-No.	: : :	494437 Sigma-Aldrich 603-001-00-X	
	CAS-No.	:	67-56-1	

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

#### 1.4 **Emergency telephone number**

**Emergency Phone #** : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

olgilal word	Danger
Hazard statement(s) H225 H301 + H311 + H331 H370	Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled Causes damage to organs.
Precautionary statement(s) P210 P233 P240 P241	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Synonyms	: Methyl alcohol
Formula	: CH <sub>4</sub> O
Molecular weight	: 32.04 g/mol
CAS-No.	: 67-56-1
EC-No.	: 200-659-6
Index-No.	: 603-001-00-X
Registration number	: 01-2119433307-44-XXXX

## Hazardous components

Component	Classification	Concentration
Methanol		
	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301 + H311 + H331, H370	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

For personal protection see section

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Headache		

1 1	Nausea		1
	Dizziness		
	Eye damage		
	Substances for which there is a Biological Exposure Index or Indices		
	(see BEI® section)		
	Danger of cutaneous absorption		
	STEL	250.000000	USA. ACGIH Threshold Limit Values
		ppm	(TLV)
	Headache	I	
	Nausea		
	Dizziness		
	Eye damage		
	Substances for which there is a Biological Exposure Index or Indices		
	(see BEI® section)		
		utaneous absorptio	
	TWA	200.000000	USA. NIOSH Recommended
	IVVA		
		ppm	Exposure Limits
		260.000000	
		mg/m3	
		dermal absorption	
	ST	250.000000	USA. NIOSH Recommended
		ppm	Exposure Limits
		325.000000	
		mg/m3	
	Potential for	dermal absorption	
	TWA	200.000000	USA. Occupational Exposure Limits
			(OSHA) - Table Z-1 Limits for Air
		ppm 260.000000	Contaminants
			Contaminants
		mg/m3	
		mg/m3 is approxi	
	TWA	200 ppm	USA. ACGIH Threshold Limit Values
			(TLV)
	Headache		
	Nausea		
	Dizziness		
	Eye damage		
			a Biological Exposure Index or Indices
	(see BEI® s	ection)	
	Danger of cu	utaneous absorptio	on
	STEL	250 ppm	USA. ACGIH Threshold Limit Values
			(TLV)
	Headache	•	
	Nausea		
	Dizziness		
	Eye damage	2	
			a Biological Exposure Index or Indices
			a Diological Exposure index of indices
	(see BEI® s		
		utaneous absorptio	
	TWA	200 ppm	USA. NIOSH Recommended
	<u> </u>	260 mg/m3	Exposure Limits
		dermal absorption	
	ST	250 ppm	USA. NIOSH Recommended
		325 mg/m3	Exposure Limits
	Potential for	dermal absorptior	
		200 ppm	USA. Occupational Exposure Limits
	IIWA		
	TWA		
	IWA	260 mg/m3	(OSHA) - Table Z-1 Limits for Air
			(OSHA) - Table Z-1 Limits for Air Contaminants

STEL	250 ppm 325 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin nota	tion	
TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin nota	tion	
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin	<u>.</u>	
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		•••
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin	•	••

## **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (A	s soon as p	ossible after expo	osure ceases)
		Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (A	s soon as p	ossible after expo	osure ceases)

## Derived No Effect Level (DNEL)

Application Area Exposure Health effect Value			
routes			
Workers	Skin contact	Long-term systemic effects	40mg/kg BW/d
Consumers	Skin contact	Long-term systemic effects	8mg/kg BW/d
Consumers	Ingestion	Long-term systemic effects	8mg/kg BW/d
Workers	Skin contact	Acute systemic effects	40mg/kg BW/d
Consumers	Skin contact	Acute systemic effects	8mg/kg BW/d
Consumers	sumers Ingestion Acute systemic effects		8mg/kg BW/d
Workers	Inhalation	Acute systemic effects	260 mg/m3
Workers	Inhalation Acute local effects 26		260 mg/m3
Workers Inhalation Long-term systemic effects		Long-term systemic effects	260 mg/m3
Workers Inhalation Long-term local effe		Long-term local effects	260 mg/m3
Consumers Inhalation Acute systemic effect		Acute systemic effects	50 mg/m3
Consumers	nsumers Inhalation Acute local effects		50 mg/m3
Consumers	onsumers Inhalation Long-term systemic effects 50 m		50 mg/m3
Consumers Inhalation Long-term local effects 50 mg		50 mg/m3	

# Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	23.5 mg/kg
Marine water	15.4 mg/l
Fresh water	154 mg/l
Fresh water sediment	570.4 mg/kg
Onsite sewage treatment plant	100 mg/kg

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 31 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	pungent
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -98 °C (-144 °F)
f)	Initial boiling point and boiling range	64.7 °C (148.5 °F)
g)	Flash point	9.7 °C (49.5 °F) - closed cup

h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 36 %(V) Lower explosion limit: 6 %(V)
k)	Vapour pressure	130.3 hPa (97.7 mmHg) at 20.0 °C (68.0 °F) 546.6 hPa (410.0 mmHg) at 50.0 °C (122.0 °F) 169.27 hPa (126.96 mmHg) at 25.0 °C (77.0 °F)
I)	Vapour density	1.11
m)	Relative density	0.791 g/mL at 25 °C (77 °F)
n)	Water solubility	completely miscible
o)	Partition coefficient: n- octanol/water	log Pow: -0.77
p)	Auto-ignition temperature	455.0 °C (851.0 °F) at 1,013 hPa (760 mmHg)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not explosive
t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.
Oth	ner safety information	
	Minimum ignition energy	0.14 mJ
	Conductivity	< 1 µS/cm

## Conductivity Relative vapour density

#### **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

9.2

No data available

**10.2 Chemical stability** Stable under recommended storage conditions.

#### **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.

#### **10.4 Conditions to avoid** Heat, flames and sparks.

- **10.5** Incompatible materials Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids
- Hazardous decomposition products
   Hazardous decomposition products formed under fire conditions. Carbon oxides
   Other decomposition products No data available
   In the event of fire: see section 5

1.11

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

#### Acute toxicity

LDLO Oral - Human - 143 mg/kg Remarks: Lungs, Thorax, or Respiration:Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. LD50 Oral - Rat - 1,187 - 2,769 mg/kg

LC50 Inhalation - Rat - 4 h - 128.2 mg/l

LC50 Inhalation - Rat - 6 h - 87.6 mg/l

LD50 Dermal - Rabbit - 17,100 mg/kg

No data available

Skin corrosion/irritation Skin - Rabbit Result: No skin irritation

Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation

**Respiratory or skin sensitisation** Maximisation Test - Guinea pig Does not cause skin sensitisation. (OECD Test Guideline 406)

#### Germ cell mutagenicity

Ames test S. typhimurium Result: negative

in vitro assay fibroblast Result: negative Mutation in mammalian somatic cells.

Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Mouse - male and female Result: negative

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

Damage to fetus not classifiable

Fertility classification not possible from current data.

#### Specific target organ toxicity - single exposure

Causes damage to organs.

#### Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

## **Additional Information**

RTECS: PC1400000

Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures., Methyl alcohol may be fatal or cause blindness if swallowed.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

## **12. ECOLOGICAL INFORMATION**

12.1	Toxicity		
	Toxicity to fish	mortality LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h	
		NOEC - Oryzias latipes - 7,900 mg/l - 200 h	
	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - > 10,000.00 mg/l - 48 h	
	Toxicity to algae	Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 22,000.0 mg/l - 96 h	
12.2 Persistence and degradability			
	Biodegradability	aerobic - Exposure time 5 d Result: 72 % - rapidly biodegradable	
	Biochemical Oxygen Demand (BOD)	600 - 1,120 mg/g	
	Chemical Oxygen Demand (COD)	1,420 mg/g	
	Theoretical oxygen demand	1,500 mg/g	
12.3	2.3 Bioaccumulative potential		
	Bioaccumulation	Cyprinus carpio (Carp) - 72 d at 20 °C - 5 mg/l	
		Bioconcentration factor (BCF): 1.0	
12.4	<b>Mobility in soil</b> Will not adsorb on soil.		
12.5	Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted		
12.6	6 Other adverse effects		
	Additional ecological information	Avoid release to the environment.	
	Stability in water	at 19 °C83 - 91 % - 72 h	
		Remarks: Hydrolyses on contact with water.Hydrolyses readily.	
_			

## **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

## Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## DOT (US)

UN number: 1230 Class: 3 Proper shipping name: Methanol Reportable Quantity (RQ): 5000 lbs Packing group: II

Poison Inhalation Hazard: No Sigma-Aldrich - 494437

<b>IMDG</b> UN number: 1230 Proper shipping name	Class: 3 (6.1) e: METHANOL	Packing group: II	EMS-No: F-E, S-D
IATA UN number: 1230 Proper shipping name	Class: 3 (6.1) e: Methanol	Packing group: II	

## **15. REGULATORY INFORMATION**

## SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

The following components are subject to reporting leve	els established by SARA Title II	I, Section 313:
	CAS-No.	Revision Date

Methanol	67-56-1	2007-07-01
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
New Jersey Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
California Prop. 65 Components		
WARNING: This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause birth defects or other reproductive harm. Methanol	67-56-1	2012-03-16

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301 + H311 +	Toxic if swallowed, in contact with skin or if inhaled
H331	
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

## **HMIS Rating**

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3
Physical Hazard	0

## **NFPA** Rating

Health hazard:	2
Fire Hazard:	3
Sigma-Aldrich - 494437	

## Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.3

Revision Date: 09/23/2016

Print Date: 11/03/2016