Printing date 12/01/2005 Reviewed on 12/01/2005

1 Identification of substance

· Product details

· Trade name: Sure Grip HF Epoxy Grout - Part A

· Article number: 305893A

· Application of the substance / the preparation

· Manufacturer/Supplier:

Dayton Superior 4226 Kansas Avenue Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call (703) 527-3887. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Composition/Data on components

- · Chemical characterization:
- · CAS No. Description

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)

- · Identification number(s) Not applicable
- EINECS Number: 500-033-5 • EU Number: 603-074-00-8

3 Hazards identification

- · Hazard description: May cause eye and skin irritation. Prolonged contact may cause sensitization.
- · Information pertaining to particular dangers for man and environment: Not applicable.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 0

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 2)

Printing date 12/01/2005 Reviewed on 12/01/2005

Trade name: Sure Grip HF Epoxy Grout - Part A

(Contd. of page 1)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

5 Fire fighting measures

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6 Accidental release measures

- $\cdot \textit{Person-related safety precautions:} \ \textit{Wear protective equipment. Keep unprotected persons away.}$
- · Measures for environmental protection:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- · Handling:
- · Information for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool dry location.
- Information about storage in one common storage facility: Store away from incompatible materials.
- · Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

(Contd. on page 3)

Printing date 12/01/2005 Reviewed on 12/01/2005

Trade name: Sure Grip HF Epoxy Grout - Part A

(Contd. of page 2)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

| 9 Physical and chemical pro | operties |
|---------------------------------------------------------------------------------------|-----------------------------------------------|
| · General Information | |
| Form: | Liquid |
| Color: | Grey |
| Odor: | Mild |
| · Change in condition Melting point/Melting range: Boiling point/Boiling range: | |
| · Flash point: | > 94°C (> 201°F) |
| Danger of explosion: | Product does not present an explosion hazard. |
| Density at 20°C (68°F): | 1.14 g/cm^3 |
| · Solubility in / Miscibility with Water: Organic solvents: | Not miscible or difficult to mix. 0.0 % |
| · Solids content: | 100.0 % |
| · Volatile Organic Compounds: | Not determined |

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.

Printing date 12/01/2005 Reviewed on 12/01/2005

Trade name: Sure Grip HF Epoxy Grout - Part A

(Contd. of page 3)

12 Ecological information

- · Ecotoxical effects:
- · Remark: Toxic for fish
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

13 Disposal considerations

- · Product:
- · Recommendation: Must not be disposed of as normal garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to Federal, State, and Local regulations.

14 Transport information

- · DOT regulations:
- · Hazard class:
- Limited Quantity Exemption: No Limited Quantity exemption applies for this shipping class.
- · U.S. Domestic Ground Shipments: Same as listed for Standard Shipments above.
- · U.S. Domestic Ground Non-Bulk (119 gal or less per

container) Shipments: Same as listed for Standard Shipments above.

- · Emergency Response Guide (ERG) Number: Not determined
- · Land transport ADR/RID (cross-border):
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:

15 Regulations

- \cdot Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

(Contd. on page 5)

Printing date 12/01/2005 Reviewed on 12/01/2005

Trade name: Sure Grip HF Epoxy Grout - Part A

(Contd. of page 4)

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to the State of California (Prop. 65) to cause cancer:

Substance is listed.

· Chemicals known to the State of California (Prop. 65) to cause reproductive toxicity:

Substance is not listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· MAK (German Maximum Workplace Concentration)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:

Xi Irritant

N Dangerous for the environment

· Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number averagemolecular weight = 700)

· Risk phrases:

36/38 Irritating to eyes and skin.

- 43 May cause sensitisation by skin contact.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 6)

Printing date 12/01/2005 Reviewed on 12/01/2005

Trade name: Sure Grip HF Epoxy Grout - Part A

(Contd. of page 5)

· Safety phrases:

- 2 Keep out of the reach of children.
- 28 After contact with skin, wash immediately with plenty of ... (to be specified by the manufacturer).
- 37/39 Wear suitable gloves and eye/face protection.
- 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

· Special labeling of certain preparations:

Contains epoxy constituents. See information supplied by the manufacturer.

- · National regulations:
- · Water hazard class: Water hazard class 2 (Assessment by list): hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

USA