to Automotive MSDS Listings

product sheet for MALCO CARBURETOR CLEANER

Material Safety Data Sheet - MALCO CARBURETOR CLEANER

Product Identification

EDP Number: 1026

Product Name: MALCO CARBURETOR CLEANER

DOT Hazard: IFLAMMABLE LIQUID

FLAMMABLE LIQUID. NOI, CONTAINS ISOPROPYL ALCOHOL AND DIACETONE ALCOHOL, 3.3, U.N. DOT ShipName:

1993 PG III, LTD. QTY, IMDG PAGE 3345

Physical Data

Boil Point	Freeze Point	Gravity	Vapor Pressure	Vapor Density	Evap Rate	% Volatile	Solubility
110° F M	N/A	0.857@ 68 F	N/A	~1	5	~100	INSOLUBL

Odor and Appearance: CLEAR, RED LIQUID WITH SOLVENT ODOR.

Ingedients

Material Name	Percentage	TLV	Hazard	CAS Number
AROMATIC PETROLEUM SOLVENT*	30 - 40	N/A	COMBUSTIBLE	64742-94-5
DIACETONE ALCOHOL	30-40	50 PPM	INHALATION IRRITANT	123-42-2
ISOPROPYL ALCOHOL	30-40	400 PPM	FLAMMABLE	67-63-0

Note1: * CONTAINS 10% NAPHTHALENE (CAS 91-20-3) WHICH IS SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III SECTION 313.

Fire and Explosion Hazard Data

Flash Point	LEL	UEL	
79 F TOC	N/A	N/A	

Extinguishing Media DRY CHEMICAL, CO2, WATER FOG OR SPRAY

Unusual Fire & Explosion FLAMMABLE MIXTURE -- NO UNUSUAL HAZARDS.

Hazards

Health Hazard Data

Acute Effects N/A

Swallowing PNEUMONITIS. MAY CAUSE GASTROINTESTINAL IRRITATION, VOMITING, NAUSEA, DIARRHEA, CHEMICAL

Inhalation MAY CAUSE IRRITATION, DIZZINESS, WEAKNESS, NAUSEA, DIARRHEA, CHEMICAL PNEUMONITIS.

Skin Contact MAY CAUSE IRRITATION, DEFATTING AND DERMATITIS UPON REPEATED CONTACT.

Eye Contact SEVERE IRRITATION, REDNESS, BLURRED VISION, TEARING.

Chronic Effects NONE KNOWN.

Other Hazards N/A

Emergency First Aid Procedures

Swallowing IF CONSCIOUS, GIVE FLUIDS AND INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY.

Inhalation REMOVE TO FRESH AIR. ADMINISTER OXYGEN IF BREATHING IS DIFFICULT.

SkinContact WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. CALL PHYSICIAN IF IRRITATION PERSISTS.

FLUSH WITH LARGE QUANTITIES OF WATER FOR A MINIMUM OF 15 MINUTES, LIFTING Eye Contact UPPER AND LOWER LIDS OCCASIONALLY. CONTACT PHYSICIAN IMMEDIATELY.

Primary INGESTION.

Note to Physician N/A

Reactivity Data

Stablility STABLE.

Conditions to Avoid HEAT, SPARKS AND FLAMES

Materails to Avoid STRONG OXIDIZING AGENTS.

Hazardous Decom Prod CARBON DIOXIDE, CARBON MONOXIDE,

Hazardous Polymerization WILL NOT OCCUR.

Additional Cond to Avoid N/A

Spill or Leak Procedures

ELIMINATE ANY POSSIBLE SOURCE OF IGNITION FROM AREA. EXCLUDE PERSONS NOT Steps if spilled WEARING PROTECTIVE EQUIPMENT FROM AREA. CONTAIN SPILL AND PUMP INTO TANK FOR REUSE/DISPOSAL. SWEEP CONTAMINATED ABSORBENT FOR DISPOSAL.

Waste Disposal Method IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Special Protection Information

Respiratory Protection OSHA-APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation LOCAL EXHAUST

Impervious Gloves YES

Other PPE NONE.


Special Precautions

Storage & Handling VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG GROUND BY VENTILATION, Precautions FANS, ETC. AND BE IGNITED AT A POINT DISTANT FROM HANDLING POINT. REMOVE ANY

Precautions SPARK AT OR NEAR HANDLING AREA.

DO NOT WELD OR CUT OPEN CONTAINER (EVEN WHEN EMPTY). PRODUCT, EVEN RESIDUE, Other Precautions CAN IGNITE EXPLOSIVELY.

HMIS Ratings



Prepared By: JOEL POCHRON

TECHNICAL DIRECTOR MALCO PRODUCTS, INC. 36I FAIRVIEW AVE P O BOX 892 **BARBERTON OHIO 44203** 330-753-0361 OR 800-253-2526

These numbers are available days, nights, weekends and holidays.

Last Updated 7/9/98

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIALS IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL, EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.