according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: EXTRA HEAVY DUTY DEGREASER
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Alkaline cleaner/ detergent
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Big Red Supply 135 St. Charles Street Bowling Green, KY 42101 270-842-7809 or 800-786-0170



- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R35: Causes severe burns.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

(Contd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labelling:

sodium hydroxide disodium metasilicate

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling. P264

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician. P310

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



Fire = 0Reactivity = 1

· HMIS-ratings (scale 0 - 4)



HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

(Contd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 2)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide ☐ C R35 ♦ Skin Corr. 1A, H314	10-25%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol Xn R20/21/22; Xi R36/38 ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2,5-10%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate C R34; X Xi R37 Skin Corr. 1B, H314 STOT SE 3, H335	2,5-10%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 3)

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

<u> </u>	· · · · · · · · · · · · · · · · · · ·		
· Ingredients with limit values that require monitoring at the workplace:			
1310-73-2 so	1310-73-2 sodium hydroxide		
PEL (USA)	2 mg/m³ Short term value: C 2 mg/m³		
	Short-term value: C 2 mg/m³ Short-term value: C 2 mg/m³		
	Short-term value: C 2 mg/m³		
111-76-2 2-bi	utoxyethanol		
IOELV (EU)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin		
PEL (USA)	240 mg/m³, 50 ppm Skin		
REL (USA)	24 mg/m³, 5 ppm Skin		
TLV (USA)	97 mg/m³, 20 ppm BEI		
	20 ppm		
EV (Canada)	20 ppm Skin		
ı			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 5)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Contact lenses should not be worn.

9 Physical and chemical prope	erties	
· 9.1 Information on basic physical a · General Information		
Appearance:	1	
Form: Colour:	Liquid	
· Odour:	Brown Weak, characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20°C:	>12,5	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	105°C	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	240°C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	1,1 Vol %	
Upper:	10,6 Vol %	
· Vapour pressure at 20°C:	23 hPa	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
	(Cont	d. on page 7

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	10,0 %	
Water:	60,0 %	
Solids content:	29,0 %	
9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong acids.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Phosphorus oxides (e.g. P2O5)

Sulphur oxides (SOx)

Nitrogen oxides

Carbon monoxide and carbon dioxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 7)

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN3266
· 14.2 UN proper shipping name · DOT, IMDG, IATA · ADR	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE) 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
	(Contd. on page 9)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

	(Contd. of page
· 14.3 Transport hazard class(es)	
· DOT	
CORRESIVE	
· Class	8 Corrosive substances.
· Label	8
· ADR	
· Class · Label	8 (C5) Corrosive substances.
· IMDG, IATA	
· Class · Label	8 Corrosive substances.
· 14.4 Packing group · DOT, ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
· EMS Number: · Segregation groups	F-A,S-B Alkalis
	7
 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· ADR	
Tunnel restriction code	Е
· UN "Model Regulation":	UN3266, CORROSIVE LIQUID, BASIC, INORGANIO N.O.S. (SODIUM HYDROXIDE), 8, II

(Contd. on page 10)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 9)

Regulatory information	
· 15.1 Safety, health and environmental regulations/legislation specific for the · United States (USA) · SARA	e substance or mixtur
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
EPA (Environmental Protection Agency)	
111-76-2 2-butoxyethanol	CBI
IARC (International Agency for Research on Cancer)	
111-76-2 2-butoxyethanol	
TLV (Threshold Limit Value established by ACGIH)	
111-76-2 2-butoxyethanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%) Ingredients are listed as required.	
1310-73-2 sodium hydroxide	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 28.09.2012 Revision: 12.09.2012

Trade name: EXTRA HEAVY DUTY DEGREASER

(Contd. of page 10)

111-76-2 2-butoxyethanol

6834-92-0 disodium metasilicate

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R35 Causes severe burns.
R36/38 Irritating to eyes and skin.
R37 Irritating to respiratory system.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent